



























Backings & Toppings - find the right one for the job

Legend:
 = Recommendation
 ✓ = Suitable alternative

GUNOLD's Guide				WOVEN FABRIC (firm)					WOVEN FABRIC (stretchy)		WOVEN FABRIC (fine)	KNITTED FABRIC					FIRM SURFACES
				150 g/m²	150 - 350 g/m²	>350 g/m²			150g/m²	150 - 350 g/m²	Chiffon, Silk	150 g/m²		150 - 350 g/m²			
				Shirt/Dress	Blazer/Coat	Denim/Work-wear	Caps	Horse Blanket/Car Mats			Scarf	Under-wear	Polo/T-shirts	Jersey	Fine Knit	Chunky Knit	Fleece/Sweat-shirt
TEAR AWAY	STIFFY 1620	<input checked="" type="radio"/>	25g/m²	✓						✓	✓						
	TEXTI 1751	<input type="radio"/>	33g/m²	✓													
	STIFFY 1640	<input checked="" type="radio"/>	37g/m²	✓		✓				✓						✓	
	STIFFY 1650	<input checked="" type="radio"/>	50g/m²			✓					✓	✓				✓	
	STIFFY 1860	<input type="radio"/>	60g/m²		✓		✓									✓	
	TEXTI 1875	<input type="radio"/>	75g/m²		✓	✓	✓							✓	✓	✓	
	STIFFY 1980	<input checked="" type="radio"/>	75g/m²			✓	✓							✓	✓	✓	
	STIFFY 1995	<input type="radio"/>	95g/m²					✓									
CUT AWAY	STIFFY 2040	<input checked="" type="radio"/>	51g/m²					✓	✓	✓	✓		✓	✓	✓	✓	
	STIFFY 2055	<input checked="" type="radio"/>	55g/m²					✓	✓	✓	✓	✓	✓	✓	✓	✓	
	TEXTI 1970	<input checked="" type="radio"/>	70g/m²		✓	✓	✓		✓					✓	✓	✓	
	STIFFY 1950	<input checked="" type="radio"/>	80g/m²			✓	✓			✓							
IRON ON temporary adhesive	STIFFY 1620B	<input type="radio"/>	43g/m²					✓				✓					
	STIFFY 1640B	<input checked="" type="radio"/>	51g/m²						✓		✓	✓	✓	✓			
	STIFFY 1860B	<input checked="" type="radio"/>	68g/m²											✓	✓		
SELF ADHESIVE	Filmoplast	<input checked="" type="radio"/>	50g/m²	✓		✓		✓								✓	
	Filmoplast Strong	<input type="radio"/>	95g/m²			✓	✓		✓								
HEAT SOLUBLE	Thermofilm		30µ	✓													
WATER SOLUBLE	Solvly / Solvly Film 20			Topping	Topping			Topping				Topping		Topping	Topping	Topping	
	Solvly Fabric	<input type="radio"/>		✓							✓	✓					

Specialties, Films/Gauze

Legend:
 = Recommendation
 ✓ = Suitable alternative

<div style="background-color: #555; color: white; padding: 10px; text-align: center;"> GUNOLD's Guide </div>				SPECIAL APPLICATIONS					
				Appliqué	reinforce	Lace / FSL	Terry cloth / Towel	seal (rain jacket)	protect (cover the back)
IRON ON permanent adhesive	STIFFY 1975B	<input type="radio"/> ●	69g/m ²						
	STIFFY 1950B	<input type="radio"/> ●	115g/m ²						
HEAT SOLUBLE	Thermogaze	<input type="radio"/>							
WATER SOLUBLE	Solvly / Solvly Film 20		20μ				Sandwich		
	Solvly-Film 80		80μ			✓			
	Solvly Fabric	<input type="radio"/>	40g/m ²	✓		✓			
SEAL/ PROTECT	TS		228g/m ²						
	Stick Protect	<input type="radio"/> ●	53g/m ²						