

according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Air Duster

UFI: 9X20-D093-4008-A2UX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

compressed air cleaning agent

Uses advised against

Only use for the intended purpose. In case of doubt please contact our responsible department.

1.3. Details of the supplier of the safety data sheet

Company name: GUNOLD GmbH

Street: Obernburger Straße 125
Place: D-63811 Stockstadt

Telephone: +49 (0)6027 - 2 00 80 Telefax: +49 (0)6027 - 37 72

E-mail: service@gunold.de

Contact person: Kundenservice Telephone: +49(0)6027 2008-20

E-mail: service@gunold.de Internet: www.gunold.de

Responsible Department: Quality Control and Environment

1.4. Emergency telephone Emergency Action: In the event of a medical enquiry involving this product,

<u>number:</u> please contact your doctor or local hospital accident and emergency department

or the NHS enquiry service. This safety data sheet is an English translation of the EU safety data sheet and is not suitable for the distribution in a specific

country.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Print date: 20.01.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 2 of 11

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

The components in this mixture do not meet the criteria for classification as PBT or vPvB.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
75-28-5	Isobutane				
	200-857-2	601-004-00-0	01-2119485395-	27	
	Flam. Gas 1, Compressed gas; H220 H280				
74-98-6	Propane			25 - 50 %	
	200-827-9	601-003-00-5	01-2119486944-	21	
_	Flam. Gas 1, Compressed gas; H220 H280				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

In case of irregular breathing or respiratory arrest, perform artificial respiration.

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Dizziness.

Rapid evaporation of the liquid can cause frostbite.

May cause eye irritations.

4.3. Indication of any immediate medical attention and special treatment needed



according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 3 of 11

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Suppress gases/vapours/mists with water spray jet. Use water spray jet to protect personnel and to cool endangered containers. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

For emergency responders

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of product being released into lakes, rivers or the drainage system, appropriate authorities must be informed.

6.3. Methods and material for containment and cleaning up

For containment

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8

Handling and storage: see section 7 For waste disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Consider the usual precautions for handling chemicals. Ensure adequate ventilation. Avoid contact with skin, eyes and clothes.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.



according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 4 of 11

Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid contact with skin, eyes and clothes. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

Further information on handling

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect from sunlight and heat sources. Avoid ignition sources.

7.3. Specific end use(s)

compressed air cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
	Aliphatic hydrocarbon gases, Alkanes (C1-C3), Propane	-	-		Asphyxiant	
75-28-5	Butane, all isomers - Isobutane	1000	-		STEL (15 min)	

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Not required if used properly.

At the place of work (in production and when refilling): Tightly sealed safety glasses.

Hand protection

Not required if used properly.

At the place of work (in production and when refilling):

Tested protective gloves are to be worn: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: >0,45mm

penetration time (maximum wearing period): >60 minutes

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Not required if used properly.

At the place of work (in production and when refilling):

Protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Not required if used properly.



according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 5 of 11

In case of exceeding exposure limit values: Full protection mask with gas filter type AX

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol / liquid Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

No data available.

-21 °C

boiling range:

Flammability: No data available. Lower explosion limits: 1.5 vol. % 10,9 vol. % Upper explosion limits: ca. 80 °C Flash point: Auto-ignition temperature: ca. 365 °C Decomposition temperature: No data available. not applicable pH-Value: Viscosity / kinematic: No data available. Water solubility: <0,1 g/I

(at 20 °C)

Solubility in other solvents

No data available.

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

Vapour pressure:

No data available.

No data available.

1200 - 7500 hPa

(at 20 °C)

Vapour pressure:No data available.Density:0,548 g/cm³Relative density:No data available.Bulk density:No data available.Relative vapour density:No data available.Particle characteristics:No data available.

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available.

Self-ignition temperature

Solid: No data available.
Gas: No data available.

Oxidizing properties

No data available.

Other safety characteristics

Evaporation rate: No data available. Solvent separation test: No data available. Solvent content: No data available. Solid content: No data available. Sublimation point: No data available. Softening point: No data available. No data available. Pour point: Viscosity / dynamic: not applicable Flow time: No data available.



according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 6 of 11

Further Information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable when stored and handled appropriately.

10.3. Possibility of hazardous reactions

No dangerous reactions to be expected if used properly.

10.4. Conditions to avoid

high temperatures

Protect from sunlight.

10.5. Incompatible materials

Oxidizing agents, strong. Peroxides.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Page 7 of 11



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
75-28-5	Isobutane					
	Acute fish toxicity	LC50 27,98 mg/l	96 h	fish		
	Acute algae toxicity	ErC50 7,71 mg/l	96 h	algae		

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	Isobutane	2,8
74-98-6	Propane	2,36

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. According to the European Waste Catalogue (EWC), allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

150111 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging containing a hazardous solid porous

matrix (for example asbestos), including empty pressure containers; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS



according to Regulation (EC) No 1907/2006

Air Duster Revision date: 20.01.2025 Product code: GD-034 Page 8 of 11

14.3. Transport hazard class(es): 2
14.4. Packing group: -

Hazard label: 2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: 63, 190, 277, 327, 344, 381,959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0



according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 9 of 11

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special precautions known.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40

Directive 2004/42/EC on VOC in 100% (550 g/l)

paints and varnishes:

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]: not applicable

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No 2019/1021 on persistent organic pollutants: not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: This mix contains no chemicals that are subject to the export notification procedures (annex 1).

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Isobutane Propane

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,6,8,9,10,11,12,13,15,16.

Version 1,00 - Creation - 09.10.2018

Version 1,01 - General update - 20.01.2025



according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 10 of 11

Abbreviations and acronyms

Flam. Gas: Flammable gases

Aerosol: Aerosol Compressed gas

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act

CAS: Chemical Abstracts Service

DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization)

EC: Effective Concentration

EG: European Community (Europäische Gemeinschaft)

EN: European Norm

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in

Bulk

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods ISO: Norm of the International Standards Organization

CLP: Classification, Labeling, Packaging

IUCLID: International Uniform Chemical Information Database

LC: Lethal concentration

LD: Lethal dose

log Kow: Octanol/water partition coefficient

MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships

OECD: Organisation for Economic Co-operation and Development

PBT: Persistent, bio-cumulative, toxic

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent and very bio-cumulative

VwVwS: Administrative Regulation for Water Pollutants

WGK: German Water Hazard Class

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany



according to Regulation (EC) No 1907/2006

Air Duster

Revision date: 20.01.2025 Product code: GD-034 Page 11 of 11

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)