

according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Air Duster Power

UFI:

T030-V0YG-E00R-YEF0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

compressed air cleaning agent

Uses advised against

Only use for the intended purpose. In case of doubt please contact our responsible department.

1.3. Details of the supplier of the safety data sheet

Company name:	GUNOLD GmbH	
Street:	Obernburger Straße 125	
Place:	D-63811 Stockstadt	
Telephone:	+49 (0)6027 - 2 00 80	Telefax: +49 (0)6027 - 37 72
E-mail:	service@gunold.de	
Contact person:	Kundenservice	Telephone: +49(0)6027 2008-20
E-mail:	service@gunold.de	
Internet:	www.gunold.de	
Responsible Department:	Quality Control and Environment	
<u>1.4. Emergency telephone</u> number:	please contact your doctor or local or the NHS enquiry service. This sa	a medical enquiry involving this product, hospital accident and emergency department afety data sheet is an English translation of suitable for the distribution in a specific

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:

Pictograms:

Danger

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

2,5 - 10 %



Safety Data Sheet

according to Regulation (EC) No 1907/2006

		Air Duster P	ower	
Revision da	ite: 20.01.2025	Product code:	GD-035	Page 2 of 1
P410	0+P412 Prot	tect from sunlight. Do not expose to te	mperatures exceeding 50 °C/122 °F.	
The This orga	ase of insufficient ventil components in this mix product does not conta nisms as no componen	xture do not meet the criteria for class ain a substance that has endocrine di	srupting properties with respect to non- es not contain a substance that has er	-target
SECTION	<u>.</u> 25	ormation on ingredients		
CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regu	lation (EC) No 1272/2008)		
75-28-5	Isobutane			50 - 100 %
75-28-5	Isobutane 200-857-2	601-004-00-0	01-2119485395-27	50 - 100 %
75-28-5	200-857-2	601-004-00-0 ressed gas; H220 H280	01-2119485395-27	50 - 100 %
75-28-5 74-98-6	200-857-2		01-2119485395-27	50 - 100 % 25 - 50 %
75-28-5 74-98-6	200-857-2 Flam. Gas 1, Compr		01-2119485395-27	

204-696-9 Compressed gas; H280

Full text of H and EUH statements: see section 16.

carbon dioxide

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

124-38-9

In case of troubles or persistent symptoms, consult an doctor/physician.

Remove persons from danger area and lie them down. Never orally infuse something to an unconscious person. No special first aid measures necessary. A vomiting, supine person must be brought into recovery position.

In case of irregular breathing or respiratory arrest, perform artificial respiration.

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Dizziness.

Rapid evaporation of the liquid can cause frostbite.



according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 3 of 11

May cause eye irritations.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Suppress gases/vapours/mists with water spray jet. Use water spray jet to protect personnel and to cool endangered containers. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

For emergency responders

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. In case of product being released into lakes, rivers or the drainage system, appropriate authorities must be informed.

6.3. Methods and material for containment and cleaning up

For containment

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8 Handling and storage: see section 7 For waste disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Consider the usual precautions for handling chemicals. Ensure adequate ventilation. Avoid contact with skin, eyes and clothes.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.



according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 4 of 11

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take action to prevent static discharges.

Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Avoid contact with skin, eyes and clothes. After contact with skin, wash immediately with plenty of water and soap or a suitable cleaning agent.

Further information on handling

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect from sunlight and heat sources. Avoid ignition sources.

7.3. Specific end use(s)

compressed air cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
74-98-6	Aliphatic hydrocarbon gases, Alkanes (C1-C3), Propane	-	-		Asphyxiant	
75-28-5	Butane, all isomers - Isobutane	1000	-		STEL (15 min)	
124-38-9	Carbon dioxide	5000	9000		TWA (8 h)	
		15000	27000		STEL (15 min)	

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Not required if used properly.

At the place of work (in production and when refilling): Tightly sealed safety glasses.

Hand protection

Not required if used properly.

At the place of work (in production and when refilling):

Tested protective gloves are to be worn:. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: >0,45mm

penetration time (maximum wearing period): >60 minutes

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.



according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 5 of 11

Skin protection

Not required if used properly. At the place of work (in production and when refilling): Protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Not required if used properly. In case of exceeding exposure limit values: Full protection mask with gas filter type AX

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and ch	emical properties	
Physical state:	Aerosol / liquid	
Colour:	colourless	
Odour:	characteristic	
Melting point/freezing point:		No data available.
Boiling point or initial boiling point and		No data available.
boiling range:		
Flammability:		No data available.
Lower explosion limits:		1,5 vol. %
Upper explosion limits:		10,9 vol. %
Flash point:		No data available.
Auto-ignition temperature:		No data available.
Decomposition temperature:		No data available.
pH-Value:		not applicable
Viscosity / kinematic:		No data available.
Water solubility:		Immiscible
Solubility in other solvents		
No data available.		
Dissolution rate:		No data available.
Partition coefficient n-octanol/water:		No data available.
Dispersion stability:		No data available.
Vapour pressure:		No data available.
Vapour pressure:		No data available.
Density:		No data available.
Relative density:		No data available.
Bulk density:		No data available.
Relative vapour density:		No data available.
Particle characteristics:		No data available.
9.2. Other information		
Information with regard to physical ha	zard classes	
Explosive properties		
No data available.		
Self-ignition temperature		
Solid:		No data available.
Gas:		No data available.
Oxidizing properties		
No data available.		
Other safety characteristics		
Evaporation rate:		No data available.
Solvent separation test:		No data available.
Solvent content:		No data available.
Solid content:		No data available.



according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

No data available

No data available.

No data available.

No data available.

not applicable

Page 6 of 11

Sublimation point: Softening point: Pour point: Viscosity / dynamic: Flow time:

Further Information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable when stored and handled appropriately.

10.3. Possibility of hazardous reactions

No dangerous reactions to be expected if used properly.

10.4. Conditions to avoid

high temperatures

Protect from sunlight.

10.5. Incompatible materials

Oxidizing agents, strong. Peroxides.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 7 of 11

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
75-28-5	Isobutane						
	Acute fish toxicity	LC50 mg/l	27,98	96 h	fish		
	Acute algae toxicity	ErC50 mg/l	7,71	96 h	algae		

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	Isobutane	2,8
74-98-6	Propane	2,36

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. According to the European Waste Catalogue (EWC), allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150111 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the



according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 8 of 11

substance itself.

SECTION 14: Transport information

and transport (ADR/RID)	UN 1950
14.1. UN number or ID number: 14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	Z _
Hazard label:	2.1
	2.1
	- AND
	2
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D
lland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	<u>-</u>
Hazard label:	2.1
	2
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
larine transport (IMDG)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2.1
14.4. Packing group:	-
Hazard label:	2.1
	2.1
	2
Special Provisions:	63, 190, 277, 327, 344, 381,959
Limited quantity:	1000 mL
Excepted quantity:	E0
EmS:	F-D, S-U
ir transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS, flammable
<u>14.3. Transport hazard class(es):</u>	2.1
14.4. Packing group:	-
Hazard label:	2.1
1 12221 4 12251.	۷.۱

according to Regulation (EC) No 1907/2006

Special Provisions:A145 A16Limited quantity Passenger:30 kg GPassenger LQ:Y203Excepted quantity:E0IATA-packing instructions - Passenger:	7 A802	
IATA may guantity Deceenger	203 75 km	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	75 kg 203 150 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS: No		
 14.6. Special precautions for user No special precautions known. 14.7. Maritime transport in bulk according to IMO instrunct not applicable 	<u>ments</u>	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legis		
Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 40 Directive 2004/42/EC on VOC in 96% (550 paints and varnishes: Additional information Regulation (EC) No. 648/2004 [Detergents regulati Regulation (EC) No. 1005/2009 on substances tha Regulation (EC) No 2019/1021 on persistent organ Regulation (EC) No 649/2012 of the European Par of dangerous chemicals: This mix contains no cher (annex 1). This mixture contains the following substances of v Candidate List according to Article 59 of REACH: n	on]: not applicable t lead to the depletion of the ozone layer: not ap ic pollutants: not applicable iament and of the Council concerning the expor nicals that are subject to the export notification p ery high concern (SVHC) which are included in t	t and import procedures
This mixture contains the following substances of v according to Annex XIV of REACH: none		uthorisation
National regulatory information Employment restrictions: Observe r	estrictions to employment for juveniles according	n to the 'iuwonilo
work prote under the nursing m	ection guideline' (94/33/EC). Observe employme Maternity Protection Directive (92/85/EEC) for e others.	nt restrictions
	zardous to water	
15.2. Chemical safety assessment For the following substances of this mixture a chen Isobutane Propane	nical safety assessment has been carried out:	

Changes



according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 10 of 11

Version 1,00 - Creation - 20.01.2025

Abbreviations and acronyms

Flam. Gas: Flammable gases Aerosol: Aerosol Compressed gas ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) BImSchV (Fed.Imm.Prot.Act): Directive on the Implementation of the Federal Immission Protection Act CAS: Chemical Abstracts Service DIN: Norm of the Deutsche Institut für Normung (German Institute for Standardization) EC: Effective Concentration EG: European Community (Europäische Gemeinschaft) EN: European Norm IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of ships carrying Dangerous Chemicals in Bulk ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods ISO: Norm of the International Standards Organization CLP: Classification, Labeling, Packaging IUCLID: International Uniform ChemicaL Information Database I C: Lethal concentration LD: Lethal dose log Kow: Octanol/water partition coefficient MARPOL: Maritime Pollution Convention = Convention for the Prevention of Maritime Pollution from Ships OECD: Organisation for Economic Co-operation and Development PBT: Persistent, bio-cumulative, toxic RID: Regulation Concerning the International Transport of Dangerous Goods by Rail TRGS: Technische Regeln für Gefahrstoffe **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bio-cumulative VwVwS: Administrative Regulation for Water Pollutants WGK: German Water Hazard Class GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances **DNEL: Derived No Effect Level** PNEC: Predicted No Effect Concentration TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:



according to Regulation (EC) No 1907/2006

Air Duster Power

Revision date: 20.01.2025

Product code: GD-035

Page 11 of 11

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany

Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)